

Bidding Requirements, Contract Forms and Conditions of the Contract

UNIT PRICE BID FORM

Section 00300U-IDIQ

The undersigned, in compliance with the Invitation for Bids for construction of the following Project: Ada Ramp & Bus Stop Improvements 2021 Citywide IDIQ

(CIP ID# 5769.093) (IFB# 6100 CLMC832) for the City of Austin, Texas, having examined the Project Manual, Drawings and Addenda, the site of the proposed Work and being familiar with all of the conditions surrounding construction of the proposed Project, having conducted all inquiries, tests and investigations deemed necessary and proper; hereby proposes to furnish all labor, permits, material, machinery, tools, supplies and equipment, and incidentals, and to perform all Work required for construction of the Project in accordance with the Project Manual, Drawings and Addenda within the time indicated.

Note: The Bidder will enter the line item subtotal in the "Amount" column below, which is the product of the estimated "Quantity" multiplied by the "Unit Price". Any mathematical errors will be corrected for the purpose of determining the correct Amount to be entered in the Bid Form. The Amounts, including any corrected Amounts, will then be totaled to determine the actual amount of the Bid.

Note: Quantity estimates listed below for each Bid Item are based on the initial term of the contract only.

Bid Item	Quantity	Unit	Item Description	Amount	Unit Price
104S-A	2000	LF	REMOVE P.C. CONCRETE CURB	210,000	70
104S-D	50	LF	REMOVE P.C. CONCRETE WALL	2750	55
132S-A	350	CY	EMBANKMENT	-	
210S-A	80	CY	FLEXIBLE BASE	104,000	1300
315S-A	80	SY	SURFACE MILLING	16,000	200
315S-D	100	SY	EDGE MILLING	22,500	225
340S-A	180	TON	HOT MIX ASPHALTIC CONCRETE PAVEMENT, TYPE D	35,100	195
432S-PRC-1	400	LF	PEDESTRIAN RAILING (STANDARD 707S-1)	60,000	150
432S-PRC-2	100	LF	PEDESTRIAN ADA RAILING - OPTION 1 (STANDARD 707S-2)	17,500	175
432S-PRC-3	100	LF	PEDESTRIAN ADA RAILING - OPTION 2 (STANDARD 707S-3)	16,500	165
432S-PRC-4	650	LF	PEDESTRIAN ADA RAILING - OPTION 3 (STANDARD 707S-4)	113,750	175
104S	100	SF	6 INCH P.C. CONCRETE MEDIANS AND ISLANDS	6500	65
435S	100	LF	P.C. CONCRETE STEPS	21,000	210
430S-NS	550	SF	CONCRETE PAVER UNITS FOR SIDEWALKS, 60 MM	55,000	100
504S-IRM	35	HA	POSITIONING & ADJUSTING WATER METERS		

Bidding Requirements, Contract Forms and Conditions of the Contract

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
504S-3G	5	EA	ADJUSTING GAS VALVE BOXES TO GRADE		
504S-3W	20	EA	ADJUSTING WATER VALVE BOXES TO GRADE		
504S-4PB	20	EA	ADJUSTING PULL BOXES TO GRADE		
506S-4	5	EA	MINOR MANHOLE HEIGHT ADJUSTMENT, 4' DIA.		
509S-1	50	LF	TRENCH EXCAVATION SAFETY PROTECTIVE SYSTEMS (ALL DEPTHS)		
510-ASD12	80	LF	PIPE, 12" DIA. RCP (ALL DEPTHS), INCLUDING EXCAVATION & BACKFILL		
510-ASD18	100	LF	PIPE, 18" DIA. RCP (ALL DEPTHS), INCLUDING EXCAVATION & BACKFILL		
510-ASD24	80	LF	PIPE, 24" DIA. RCP (ALL DEPTHS), INCLUDING EXCAVATION & BACKFILL		
510-AW4	80	LF	PIPE, 4" DIA. PVC TYPE (ALL DEPTHS), INCLUDING EXCAVATION & BACKFILL		
608S-1	40	EA	PLANTING TYPE SHRUB, SIZE 1 GALLON		
610S-A	100	LF	PROTECTIVE FENCING TYPE A CHAIN LINK FENCE (TYPICAL APPLICATION-HIGH DAMAGE POTENTIAL)		
628S-B	800	LF	SEDIMENT CONTAINMENT DIKES WITH FILTER FABRIC		
640S	300	SF	MORTARED ROCK WALL		
642S	600	LF	SILT FENCE FOR EROSION CONTROL		
803S-SF	20000	LF	SAFETY FENCE		
824S	20	EA	TRAFFIC SIGNS		
860S-C4	130	LF	PAVEMENT MARKING PAINT (REFLECTORIZED), 4 IN.		

Bidding Requirements, Contract Forms and Conditions of the Contract

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
871S-A4W	380	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS, 4 INCHES IN WIDTH, 100 MILS IN THICKNESS, WHITE IN COLOR		
871S-A4Y	320	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS, 4 INCHES IN WIDTH, 100 MILS IN THICKNESS, YELLOW IN COLOR		
871S-A8W	240	LF	REFLECTORIZED TYPE I THERMOPLASTIC PAVEMENT MARKINGS, 8 INCHES IN WIDTH, 100 MILS IN THICKNESS, WHITE IN COLOR		
871S-E4W	400	LF	REFLECTORIZED TYPE II PAINT PAVEMENT MARKINGS, 4 INCHES IN WIDTH, WHITE IN COLOR		
871S-E4Y	320	LF	REFLECTORIZED TYPE II PAINT PAVEMENT MARKINGS, 4 INCHES IN WIDTH, YELLOW IN COLOR		
871S-E8W	250	LF	REFLECTORIZED TYPE II PAINT PAVEMENT MARKINGS, 8 INCHES IN WIDTH, WHITE IN COLOR		
871S-E24W	60	LF	REFLECTORIZED TYPE II PAINT PAVEMENT MARKINGS, WHITE, 24" WIDE		
874S-A4	220	LF	ELIMINATING EXISTING PAVEMENT MARKINGS: 4 INCHES IN WIDTH		
874S-A6	220	LF	ELIMINATING EXISTING PAVEMENT MARKINGS: 6 INCHES IN WIDTH		
874S-A12	220	LF	ELIMINATING EXISTING PAVEMENT MARKINGS: 12 INCHES IN WIDTH		
874S-A24	120	LF	ELIMINATING EXISTING PAVEMENT MARKINGS: 24 INCHES IN WIDTH		

Bidding Requirements, Contract Forms and Conditions of the Contract

Bid Item	Quantity	Unit	Item Description	Amount	Unit Price
SP104S-AC	6000	SF	REMOVE ASPHALTIC CONCRETE	300,000	50
SP104S-BS	4200	SF	REMOVE P.C. CONCRETE BUS STOP SHELTER PAD	210,000	50
SP104S-BTC	20	EA	REMOVE & REPLACE BUS STOP BENCH OR TRASH CAN	7,500	375
SP104S-C	27000	SF	REMOVE P.C. CONCRETE SIDEWALKS & DRIVEWAYS	1,350,000	50
SP104S-M	600	SF	REMOVE MEDIAN ISLANDS	30,000	50
SP111S-C	900	CY	EXCAVATION (ABOVE FINISHED SIDEWALK SURFACE)	202,500	225
SP130S-A1	600	CY	CLASS A (SELECT BORROW)	27,000	45
SP360S-D	1000	SY	10" CONCRETE BUS STOP PAVING	325,000	325
SP360S-E	100	SY	14" CONCRETE BUS STOP PAVING	34,500	345
SP414S-B	60	CY	TYPICAL RETAINING WALL COMBINATION CANTILEVER SIDEWALK, INCLUDING REINFORCEMENT AND EXCAVATION MAX HEIGHT 3 FOOT	132,000	2200
SP430S-6E-1	100	LF	SAW-CUT CAST IN PLACE BICYCLE LANE BARRIER CURB (0.5' TO 1.0' WIDE)	4,500	45
SP430S-6E-2	100	LF	SAW-CUT CAST IN PLACE BICYCLE LANE BARRIER CURB (1.5' TO 3.0' WIDE)	4,500	45
SP430S-BL	3500	LF	P.C. CONCRETE CURB & GUTTER (FINE GRADING) LOW EXPANSIVE SOIL CONDITIONS	262,500	75
SP430S-BM	2500	LF	P.C. CONCRETE CURB & GUTTER (FINE GRADING) MODERATE TO HIGH EXPANSIVE SOIL CONDITIONS.	187,500	75
SP430S-4F-1	100	LF	P.C. CONCRETE LAYDOWN CURB (FINE GRADING) 4 INCH	6,500	65
SP432S-5BP	100	SF	P.C. CONCRETE BIKE PATH, 5 INCH THICKNESS, CLASS C, INCLUDING 6 INCH FLEXBASE	7,000	70
SP432S-5TB	100	SF	P.C. CONCRETE BIKE PATH, 5 INCH THICKNESS, CLASS C, INCLUDING TERRA COTTA	7,500	75

Bidding Requirements, Contract Forms and Conditions of the Contract

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SP432S-BSS-1	4800	SF	BUS STOP SHELTER PAD	360,000	75
SP432S-4L	10250	SF	NEW P.C. CONCRETE SIDEWALKS, 4 INCH THICKNESS LOW EXPANSIVE SOIL CONDITIONS	768,750	75
SP432S-5.5M	7400	SF	NEW P.C. CONCRETE SIDEWALKS, 5.5 INCH THICKNESS MODERATE TO HIGH EXPANSIVE SOIL CONDITIONS	555,000	75
SP432S-1-RPL	40	EA	P.C. SIDEWALK CURB RAMP WITH PAVERS (TYPE 1) LOW EXAPNSIVE SOIL CONDITIONS	204,000	5100
SP432S-1A-RPL	10	EA	P.C. SIDEWALK CURB RAMP WITH PAVERS (TYPE 1A) LOW EXPANSION SOIL CONDITIONS	51,000	510
SP432S-1B-RPL	10	EA	P.C. SIDEWALK CURB RAMP WITH PAVERS (TYPE 1B) LOW EXPANSIVE SOIL CONDITIONS	61,000	610
SP432-1-RPM	20	EA	P.C. SIDEWALK CURB RAMP WITH PAVERS (TYPE 1) MODERATE TO HIGH EXPANSIVE SOIL CONDITIONS	122,000	6100
SP432S-1A-RPM	5	EA	P.C. SIDEWALK CURB RAMP WITH PAVERS (TYPE 1A) MODERATE TO HIGH EXPANSIVE SOIL CONDITIONS	35,500	7,100
SP432S-1B-RPM	5	EA	P.C. SIDEWALK CURB RAMP WITH PAVERS (TYPE 1B) MODERATE TO HIGH EXPANSIVE SOIL CONDITIONS	35,500	7,100
SP433S-HALF	35	EA	CONSTRUCTION DRIVEWAYS ONE HALF AT A TIME (SUPPLEMENT PAYMENT PER DRIVEWAY)	408,750	14,250
SP433S-HES	2000	SF	HIGH EARLY STRENGTH CONCRETE DRIVEWAYS (SUPPLEMENT TO SS433S-BL, -CL, -CM PER SF COST)	170,000	85
SP433S-BL	1000	SF	FLARED TYPE 1 P.C. CONCRETE DRIVEWAY LOW EXPANSIVE SOIL CONDITIONS	85,000	85

Bidding Requirements, Contract Forms and Conditions of the Contract

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SP433S-CL	500	SF	TYPE II P.C. CONCRETE DRIVEWAY LOW EXPANSIVE SOIL CONDITIONS	62,500	125
SP433S-CM	500	SF	TYPE II P.C. CONCRETE DRIVEWAY MODERATE TO HIGH EXPANSIVE SOIL CONDITIONS	65,000	130
SP504S-EM	10	EA	ADJUST ELECTRIC METER MANHOLE TO GRADE		
SP504S-MB	10	EA	RELOCATE OR REMOVE & REPLACE MAILBOX	7,000	700
SP504S-U	10	EA	ADJUST UTILITY BOX TO GRADE		
SP508S-I10S	2	EA	INLET, STANDARD (10-FOOT) INCLUDING REMOVAL OF EXISTING AND ALL APPURTENANCES		
SP511S	10	EA	REPOSITIONING PRESSURE REDUCING VALVE		
SP602S- ALL	2800	SY	SODDING, ALL TYPES		
SP604S-A	800	SY	NON-NATIVE SEEDING FOR EROSION CONTROL METHOD, HYDRAULIC PLANTING WITH SOIL RETENTION BLANKET CURLEX, TYPE 1		
SP608S-3	7	EA	PLANTING, TREE TYPES ALL, SIZE IN INCHES 3-4 CALIPER INCHES		
SP608S-4	100	LF	IRRIGATION		
SP610S-PL	35	EA	TREE PROTECTION (PLANKING PER TREE)		
SP610S-R1	3	EA	TREE REMOVAL 2"-9" DIAMETER (REMOVAL WILL ONLY BE WITH EXPRESSED WRITTEN APPROVAL OF WATERSHED PROTECTION)		
SP610S-R2	3	EA	TREE REMOVAL 10"-18" DIAMETER (REMOVAL WILL ONLY BE WITH EXPRESSED WRITTEN APPROVAL OF WATERSHED PROTECTION)		
SP610S-R3	3	EA	TREE REMOVAL >18" DIAMETER (REMOVAL WILL ONLY BE WITH EXPRESSED WRITTEN APPROVAL OF WATERSHED PROTECTION)		

Bidding Requirements, Contract Forms and Conditions of the Contract

Bid Item	Quantity	Unit	Item Description	Unit Price	Amount
SP702S-AHC	60	LF	REMOVING & RELOCATING EXISTING ALL HEIGHTS CHAIN LINK FENCE		
SP702S-AHW	60	LF	REMOVING & RELOCATING EXISTING ALL HEIGHTS WOODEN FENCE		
SP802S-2A	20	EA	JOINT CIP MOVABLE SIGN TYPE II		
SP803S-A1L-D	220	DAY	ARTERIAL ONE LANE CLOSURE		
SP803S-CRLC-D	170	DAY	COLLECTOR/RESIDENTIAL LANE CLOSURE		
SP803S-OS2L-D	80	DAY	ONE WAY ARTERIAL TWO-LANE CLOSURE		
SP803S-TDA1L-D	80	DAY	TWO WAY, DIVIDED ARTERIAL ONE LANE CLOSURE		
SP803S-WSC-D	350	DAY	BYPASS WALKWAY, SIDEWALK & CROSSWALK CLOSURES		
SP824S	20	EA	TRAFFIC SIGNS, REPLACE OR RELOCATE		
SP824S-1	20	EA	CMTA BUS STOP SIGN		
SP824S-2	20	EA	TEMPORARILY MOVE EXISTING BUS STOP SIGN		
SS472S-1	100	EA	POTHOLE, 2 FT - 4 FT DEEP		
SS490S-1	10	EA	BOLLARD	8500	850
SS1628S-D	100	EA	FILTER CURB INLET PROTECTION, (EXISTING INLET)		

BASE BID \$ 6,868,600

- The "Base Bid" amount must be used in the MBE/WBE Compliance Plan Summary Page to determine subcontractor participation levels for the established MBE/WBE procurement goals.
- The "Base Bid" amount becomes the bidder's "TOTAL BID" if allowances are not included.

ALLOWANCES

Allowance #1 Mobilization \$ 120,000.00

TOTAL BID (BASE BID plus ALLOWANCE)

\$ 6,988,600

Bidding Requirements, Contract Forms and Conditions of the Contract

OWNER reserves the right to reject any or all Bids and to waive any minor informality in any Bid or solicitation procedure (a minor informality is one that does not affect the competitiveness of the Bids).

The undersigned acknowledges receipt of the following addenda:

Addendum No. 1 dated _____	Received _____
Addendum No. 2 dated _____	Received _____
Addendum No. 3 dated _____	Received _____
Addendum No. 4 dated _____	Received _____
Addendum No. 5 dated _____	Received _____

BID DOCUMENT EXECUTION AND ACKNOWLEDGEMENT:

The undersigned Bidder certifies that the Bidder has read and understands the Section 00020-IDIQ Invitation for Bids, the Section 00100 Instructions to Bidders, and all other requirements applicable to the bidding process provided in the Bid and Contract Documents.

BIDDER'S CERTIFICATION OF NON-COLLUSION, NON-CONFLICT OF INTEREST, AND ANTI-LOBBYING (Section 00440): The undersigned Bidder, by its signature, represents and certifies that it has read and can affirmatively swear and subscribe to the statements in Section 00440 Non-Collusion, Non-Conflict of Interest, and Anti-Lobbying Certification. If the Bidder cannot affirmatively swear and subscribe to any of the statements in Section 00440, Bidder represents and certifies that it has provided a detailed written explanation with its Bid on separate pages annexed hereto. The undersigned Bidder further certifies that it has not in any way directly or indirectly had communication restricted in the City Code Chapter 2-7, Article 6 (Anti-Lobbying and Procurement) during the No-Lobbying Period as defined in Chapter 2-7.

BIDDER'S CERTIFICATION AS TO NONRESIDENT PROVISIONS (Section 00475): The undersigned Bidder certifies that it has read Section 00475 Nonresident Bidder Provisions and **Bidder certifies that Bidder is a resident of Texas** (Bidder must write in the blank the state of which Bidder is a resident).

Bidder will initial the blank set forth below to represent and certify that the Bidder has completed, executed, and enclosed the corresponding Bid Documents with the Bid.

_____ MBE/WBE Compliance Document
✓ _____ One copy of Total Bid Form if Bid is submitted electronically via Austin Finance Online
_____ Bid Guaranty

The undersigned, by their signature, represents that they are submitting a binding offer and are authorized to bind the respondent to fully comply with the solicitation documents contained herein. The Respondent, by submitting and signing below, certifies that they have received and read all sections of the entire solicitation document including all revisions, addenda and documents incorporated by reference, and agree to be bound by the terms therein.